



INDEX MAPS.

T.1N R.4W 2nd Mer.



T.2N R.4W 2nd Mer.



The figures on the lines refer to the page.

Township N^o 3 North of Range N^o 4 West of the 2nd Mer. Sund^r

ch^d. lks.

West

On the South Boundary of Sec. 36 T. N^o 3 N. R. N^o 4 W.

- Dec. 14. 1804.

40.00

Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Beck. 10 in diam. beam. S 20 N. 10 W. 10 mts. dist; 1 a,
diam. 20 " " " N 66 E. 27 " "

80.00

Set a post for the cor. of sec. 35 & 36 from which a
Beck. 17 in diam. beam. N 10 E. 36 mts. dist; 1 a,
diam. 16 " " " S 30 W. 6 " "

This mile rich hilly land; Timber Beck; W. Spruce.

North

Between Sec. 35 & 36 T. N^o 3 N. R. N^o 4 W.

4.00

To a Creek. 17 $\frac{1}{2}$ mts. wide, Course S. 45 W.

40.00

Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Beck. 20 in diam. beam. N 81 E. 47 lks. dist; 7 a,
diam. 12 " " " S 40 W. 30 " "

72.25

To the above named Brook. 180 lks. wide, Course S 70 E.

80.00

Set a post for the cor. of sec. 25, 26, 35 & 36 from which a
Oak. 9 in diam. beam. S 38 W. 22 mts. dist; 1 a,
Beck. 7 " " " S 74 E. 34 " "

This mile rich level land; Timber Beck. Sugar & Gum.

East

On a Random line between Sec. 25 & 36 T. N^o 3 N. R. N^o 4 W.

40.00

Set a temporary post for the cor. of $\frac{1}{4}$ sec.

80.00

Intersect the East Boundary 27 mts. N. of the post
cor. of sec. 25 & 36

West

On the true line between Sec. 35 & 36 T. N^o 3 N. R. N^o 4 W.

40.00

Set a post for the cor. of $\frac{1}{4}$ sec. at the corner met on the true
line from which a

Oak. 16 in diam. beam. N 15 E. 24 mts. dist; 1 a,
diam. 9 " " " S 10 E. 8 " "

80.00

To the post cor. of Sec. 25, 26, 35 & 36. This mile
mostly broken land. Timber Beck. Oak, & Hickory

T. N. 2. N. R. N. 4 W. 2nd Mer. Sec. 4.

North
 6.50 Between Sec. 25 & 26 T. N. 2. N. R. N. 4 W.
 To a Creek. 180 miles wide, Course S 72 W.
 40.00 Set a post for the cor. of 74 sec. from which a
 Sugar. 9 in diam. bears. N 65 W. 30 miles dist; 12
 Ho. 10 " " " S 78 E. 23 " "
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26. from which
 Buck. 12 in diam. bears. North 4 miles dist; 12
 Ho. 16 " " " S 45 E. 30 " "
 This mile land under rock lands; Timber Buck, Sugar,

West
 6.00 On the S. Boundary of sec. 35 T. N. 2. N. R. N. 4 W.
 To a Creek. 160 miles wide, Course S 45 W.
 40.00 Set a post for the cor. of 74 sec. from which a
 Dogwood 5 in diam. bears. S 80 W. 20 miles dist; 12
 Sugar. 17 " " " S 60 E. 37 " "
 80.00 Set a post for the cor. of sec. 34 & 35 from which a
 Buck. 12 in diam. bears. S 20 W. 38 miles dist; 12
 Gum. 19 " " " N 37 E. 47 " "
 This mile mostly rich good land. Timber Buck, Sugar,
 and Oak. U 8 Shive.

North
 27.00 To a Buck. 10 in diam. stands in the line
 40.00 Set a post for the cor. of 74 sec. from which a
 H. Oak. 16 in diam. bears. S 7 E. 28 miles dist; 12
 Sugar. 24 " " " N 70 E. 10 " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which a
 W. Oak. 10 in diam. bears. S 20 W. 7 miles dist; 12
 Elm. 10 " " " N 43 E. 18 " "
 This mile land under very rich land Timber Buck,

East
 40.00 On a Random line between Sec. 26 & 35 T. N. 2. N. R. N. 4 W.
 Set a temporary post for the cor. of 74 sec.

T. N. 2. N. R. N. 4. W. 2nd Mer. Ind.

80.00	Enter cut the N. S. line at the first cr. of sec. 25, 26, 35 & 36.
West	On the true line between Sec. 26, 27, 35, 36 T. N. 2. N. R. N. 4. W.
20.50	Goal Creek. 1070 links wide, Course S.
40.00	Set the temporary post at the corner dish in the true line for the cor. of $\frac{1}{4}$ sec. from which
	Beach. 12 in. diam. beam. S. 72° N. 16 links dish; 12
	Lo. 16 " " S. 26° E. 32 " "
80.00	Set the post cor. of sec. 26, 27, 34, 35.
	This mile rich hard lands; Timber Beach and Sugar.
North	Between Sec. 26, 27 T. N. 2. N. R. N. 4. W.
30.00	Go to Sugar. 12 in. diam. Stand in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which
	Height 10 in. diam. beam. S. 44° E. 7 links dish; 8 in.
	R. Oak. 24 " " S. 28° N. 26 " "
80.00	Set a post for the cor. of sec. 22, 23, 26, 27 from which
	Sugar 9 in. diam. beam. S. 23° N. 7 links dish; 02
	Lo. 10 " " S. 72° E. 11 " "
	This mile is good upland. Drains descending West.
	Timber Oak, Height etc.
West	On the South Boundary of sec. 34 T. N. 2. N. R. N. 4. W.
4.00	Go White River Course S. 45° E.
13.00	On the West Bk. of W. River
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which
	Beach. 16 in. diam. beam. S. 60° E. 23 links dish; 02
	Sugar. 16 " " S. 46° N. 8 " "
80.00	Set a post for the cor. of sec. 33 & 34 from which
	W. Oak. 10 in. diam. beam. S. 40° E. 17 links dish; 82
	Lo. 7 " " S. 18° N. 21 " "
	This mile mostly rich hard lands. Timber Beach Sugar Oak

S. N. 2. N. R. N. 4. 2nd Mer. Sud.

North	Between Sec. 33 & 34 S. N. 2. N. R. N. 4. 2nd Mer. Sud.
40.00	Set a post for the cor. off 1/4 sec. from which a W. Oak. 7 in diam. bears. N 21 E. 11 links out; 1 in do 12 " " " S 39 W. 2 " "
65.00	To White River. Course S 70 E.
72.00	" N. Bk. of W. River.
80.00	Set a post for the cor. of sec. 27, 28, 33 & 34 from which a W. Oak. 20 in diam. bears. N 15 E. 15 links out; 1 in Sugar. 9 " " " N 60 W. 7 " " This mile rich bottom land. Timber Oak, Sugar, Gum. Hickory &c.
East	On a Meridian line between Sec. 27 & 34 S. N. 2. N. R. N. 4. 2nd Mer. Sud.
40.00	Set a temporary post for the cor. off 1/4 sec.
80.00	Intersect the N. & S. line 27 miles South of the post cor. off Sec. 26, 27, 34 & 35.
West	On the true line between Sec. 27 & 34 S. N. 2. N. R. N. 4. 2nd Mer. Sud.
40.00	Set the temporary post at the cor. dist on the true line. For the cor. off 1/4 sec. from which a W. Oak. 12 in diam. bears. S 50 W. 30 links out; 1 in W. Oak. 17 " " " N 87 E. 35 " "
80.00	To the post cor. off sec. 27, 28, 33 & 34 This mile mostly rough land thin soil, Timber Oak, Sawb Hickory.
North	Between Sec. 27 & 28 S. N. 2. N. R. N. 4. 2nd Mer. Sud.
27.00	To White River. Course S 20 W. Swift water.
40.00	Cor. to 1/4 sec. in river
42.00	On the West Bank of W. River
80.00	Set a post for the cor. off sec. 21, 22, 27 & 28. From which Sugar. 12 in diam. bears. S 28 W. 10 links out; 1 in W. Oak. 16 " " " S 60 E. 18 " "

T. N. 2. N. R. N. 4 W. 2nd Mer. Ind. 2

273

This mile over rich bottom land; Timber Bush & Sugar

North	Between Sec. 32, 33. T. N. 2. N. R. N. 4 W.
16.00	Iron Bush. 20 in. dist. stands in the river.
40.00	Set a post for the cor. of 1/4 sec. from which a W. 10 in. dist. bears. S. 60 E. 20 miles dist; and a Bush. 20 " " " N 68 W 25 " "
80.00	Set a post for the cor. of sec. 28, 29, 32, 33 from which a Bush 24 in dist. bears. N 44 E. 18 miles dist; & a Log road 6 " " S 84 W 9 " " This mile is good upland; Timber Bush Oak, &c. No undergrowth. Dec. 16. 1804.

East.	On a Run down river between Sec. 28 & 33 T. N. 2. N. R. N. 4 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	Intersect the N & S line 60 W. North of the post cor. of sec. 27, 28, 33 & 34

West	On the true line between Sec. 28 & 33 T. N. 2. N. R. N. 4 W.
20.13	For White River. Corner of Smith's tract
27.00	" The West Branch of White River.
40.00	Set a post at the corner dist. on the true line for the cor. of 1/4 sec. from which a Bush. 10 in dist. bears N 60 E. 16 miles dist; and a Ho. 12 " " " S 80 W 2 " "
80.00	Set the post cor. of sec. 28, 29, 32 & 33. This mile is rich bottom land. Timber Bush.

North	Between Sec. 28, 29 T. N. 2. N. R. N. 4 W.
19.00	Iron Bush 17 in. dist. stands in the river.
40.00	Set a post for the cor. of 1/4 sec. from which a Bush 22 in dist. bears N 44 E. 18 miles dist; on Log road 6 " " S 84 W 9 " "

T. N^o 2. N.R. N^o 4 N. 2nd Mer. Line

62.00	To an N Oak. 16 in diam. stands in the line.
80.00	Set a post for the cor. of sec. 20, 21, 28, 29 from which N Oak. 10 in diam. bears S 35 E 18 links dist; & a do. 17 " " " N 4 E 23 " " This mile is broken land; Timber Oak.
West	Continue South Boundary of sec. 32, T. N ^o 2. N. R. N ^o 4 N.
40.00	Set a post for the cor. of 1/4 sec. from which Pine 15 in diam. bears N 56 W 10 links dist; & a do. 9 " " " S 66 E 25 " "
80.00	Set a post for the cor. of sec. 31, 32 from which N Oak. 10 in diam. bears N 44 W 43 links dist; & a do. 12 " " " S 41 E 51 " " This mile is level & ploughed; Timber Oak & Pine.
North	Between Sec. 31, 32 T. N ^o 2. N. R. N ^o 4 N.
11.00	To an N Oak. 20 in diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which N Oak. 16 in diam. bears S 41 W 20 links dist; & a N Oak. 10 " " " N 15 E 18 " "
67.00	To a Brook. 10 in diam. Course N 30 E.
80.00	Set a post for the cor. of sec. 29, 30, 31, 32 from which White Birch 16 in diam. bears S 50 W 16 links dist; & a do. 10 " " " N 50 E 20 " " This mile mostly broken land; some bottom on the creek, Timber Pine & Oak.
East	Continue line between Sec. 29, 32 T. N ^o 2. N. R. N ^o 4 N.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	Intersect the N 58 line at the first cor. of sec. 28, 29 32, 33.
West	Continue line between Sec. 29, 32 T. N ^o 2. N. R. N ^o 4 N.

T. N^o 2. N.R. N^o 4 W. 2nd Mer. Ind^a.

40.00 Set the timber post at the av. chs in the line
for the cor. of 1/4 sec. from which a

W. Oak. 10 in diam. trees. S62W. 24 links dist; r a.

do. 19 " " " N62E. 20 " "

37.00 To a Brook. 10 links wide, Course N.

80.00 Entered the N^o 3 line at the post. cor. of sec. 29, 30, 31 & 32

This mile is generally broken land; some bottom in the
creek. Timber Oak ash. Gum Nuts &c.

West Between Sec. 30 & 31. T. N^o 2. N.R. N^o 3 W.

29.00 To W. Oak. 27 in diam. stands in the line.

40.00 Set a post for the cor. of 1/4 sec. from which a

W. Oak. 7 in diam. trees. N72E. 25 links dist; r a.

W. Oak. 17 " " " N86W. 18 " "

80.25 Entered the West Range line 19 links N. of the post
cor. of sec. 25 & 36. T. N^o 2. N.R. N^o 3 W. and set a
post for the cor. of sec. 30 & 31. from which a

Log made 7 in diam. trees. N7E. 6 links dist; r a.

Nuts 12 " " " S64E. 7 " "

This mile good upland. Timber Oak ash &c.

North Between Sec. 29 & 30 T. N^o 2. N.R. N^o 4 W.

22.17 To a W. Oak. 16 in diam. stands on the line.

40.00 Set a post for the cor. of 1/4 sec. from which a

W. Oak. 9 in diam. trees. N75W. 17 links dist; r a.

Log made 7 " " " N80E. 10 " "

56.73 To a Brook. 8 links wide, Course E. Sec. 19. 18024

80.50 Set a post for the cor. of sec. 19, 20, 29 & 30 from which

a W. Oak. 20 in diam. trees. S10W. 30 links dist; r a.

do. 17 " " " S81E. 24 " "

This mile is broken land; thin soil; Mostly Oak
Timber. &c.

T. N. 2. N. R. N. 4 W. 2nd Mer Ind.

West	Return Sep. 19030 T. N. 2. N. R. N. 4 W.
4000	Set apart for the cor. of 74 su. from which a N. Oak. 16 in diam. trees N 42 W 14 miles dist; 8 a, N Oak. 12 " " " W 2 E. 30 " "
60.27	Set a N. Oak. 16 in diam. stands in the line
80.27	Enter out the West Boundary 10 miles North of the Post cor. of Sep. 24 & 25 T. N. 2. N. R. N. 4 W. & set a Post for the cor. of Sep. 19 & 30 from which a Height 12 in diam. trees N 71 W 16 miles dist; 1 a, Cherry 9 " " " S 7 W. 29 " "
	This mile is good replant. Limit Oak, & Decid.
East	On a Random line between Sep. 20 & 29 T. N. 2. N. R. N. 4 W.
4000	Set a temporary Post for the cor. of 74 su.
80.00	Enter out the N & S line 27 miles E. of the Post cor. of Sep. 21, 22, 27 & 28.
East	On a Random line between Sep. 21 & 28 T. N. 2. N. R. N. 4 W.
4000	Set a temporary Post for the cor. of 74 su.
80.00	Enter out the N & S line at the Post cor. of Sep. 21, 22, 27 & 28.
East	On a Random line between Sep. 27 & 22 T. N. 2. N. R. N. 4 W.
4000	Set a temporary Post for the cor. of 74 su.
80.00	Enter out the N & S line 27 miles N. of the Post cor. of Sep. 22, 23, 26 & 27
East	On a Random line between Sep. 23 & 26 T. N. 2. N. R. N. 4 W.
4000	Set a temporary Post for the cor. of 74 su.
80.00	Enter out the N & S line at the Post cor. of Sep. 23, 24, 25 & 26.
East	On a Random line between Sep. 24 & 25 T. N. 2. N. R. N. 4 W.
40.00	Set a temporary Post for the cor. of 74 su.
80.00	Enter out the East Boundary 28 miles N. of the Post

277

T. N^o 2. N.R. N^o 4 W. 2nd Mer. Sur^y

cor. of sec 24 & 25.

West	On the line between Sec. 24 & 25 of T. N ^o 2. N.R. N ^o 4 W.
18.00	To a corner 150 links wide, corner N45 W
37.00	" 2 nd 150 " " " S60 W.
40.00	Set a post for the cor. of 74 sec. from which a W. Oak 24 in. diam. bears S81 W. 23 links dist; 74, Sugar. 6 " " " N68 E. 17 " "
80.00	To the post for the cor. of sec 23, 24, 25, & 26 from which This mile rich hard land; Timber 7 Beech. Oak, Hick. Gum.

North	Between Sec. 23 & 24 of T. N ^o 2. N.R. N ^o 4 W.
17.00	To a Sugar 19 in. diam. stands in the line.
40.00	Set a post for the cor. of 74 sec. from which a Beech. 20 in. diam. bears N. 42 links dist; 74, Dry woods 9 " " " S47 W. 28 " "
67.00	To a N. Oak 24 in. diam. stands in the line.
80.00	Set a post for the cor. of Sec. 13, 14, 23, & 24. from which a W. Oak 16 in. diam. bears N. 4. W. 16. lbs. dist. & a Poplar 40 " " " S. 41. W. 52 " " This mile is good Beech. Maple.

West	Between Sec. 23, & 26. T. N ^o 2. N. R. N ^o 4. W.
40.00	Set a post for the cor. of 1/4 Sec. at the aver. dist. on true line from which a W. Oak 6 in. diam. bears N 80. E. 12 links. dist. & a B. Oak 16. " " " N. 84. W. 12. " "
80.00	To the post for the cor. of Sec. 22, 23, 26, & 27. This mile is mostly broken land. Timber, Oak & Hick.

North	Between Sec. 22, & 23. T. N ^o 2. N. R. N ^o 4. W.
39.20	To a Sugar 13 in. diam. stands in the line
40.00	Set a post for the cor. of 1/4 Sec. from which a

T. N. 2. N. R. N. 4. W. 2nd Mer. Sec. 4.

Beech 20. in. diam. bears S. 13. E. 27. links dist. 40.
 Sugar 16. " " " N 65. E. 13. " "
 80. 00 Get a post for the cor. of Sec. 14. 15. 22. & 23. from which
 a Hick^y 14. in. diam. bears S. 81. W. 15. links. dist. 40.
 W. Oak 16. " " " S. 66. E. 37. " "
 This mile is good upland. Timber. Beech. &c.

West On the true line, Between Sec. 22. & 27. T. N. 2. N. R. 3. W.
 40. 00 Get a temp^y post for the cor. of 1/4 Sec. at the aver. dist. on
 the true line from which a
 Beech 10. in. diam. bears N. 22. E. 32. links. dist. 40.
 Do 10. " " " S. 29. E. 42. " "
 72. 40 To White River; course S. 20. W. Trade water.
 78. 65 To the W. Bank of W. River
 80. 00 To the post cor. of Sec. 21. 22. 27. & 28. This mile
 is rich Bottom Land. Timber. Beech. & Sugar.

North Between Sec. 21. & 22. T. N. 2. N. R. N. 4. W.
 40. 00 Get a post for the cor. of 1/4 Sec. from which an
 Elm 17. in. diam. bears N. 22. W. 24. links. dist. 40.
 Beech 10. " " " S. 9. E. 39. " "
 60. 00 To a Brook 20. links wide; course E.
 80. 00 Get a post for the cor. of Sec. 15. 16. 21. & 22. from which
 a W. Oak 10. in. diam. bears N. 45. E. 15. links. dist. 40.
 " Do 6. " " " S. 22. E. 36. " "
 This mile is rich Bottom Land. Timber. Beech & Oak.

West On the true line between Sec. 21. & 28. T. N. 2. N. R. 3. W.
 40. 00 Get a temp^y post at the aver. dist. on the true line
 for the cor. of 1/4 Sec. from which a
 Hick^y 16. in. diam. bears S. 39. W. 17. links. dist. 40.
 W. Oak 20. " " " N. 44. E. 37. " "
 80. 00 To the post cor. of Sec. 20. 21. 28. & 29.

I N^o 2. N.R. N^o 4. N^o 2nd Mer. In 1^a

This mile is rich bottom Land; Timber Black & Sugar,

North Between Sec. 20 & 21. T. N^o 2. R. N^o 4. W.
 10.00 Set a post for the cor. of 1/4 Sec. from which an
 W. Oak 20 in diam. bears S. 50. W. 20 links. dist. 8 a.
 S. 18. " " " " N. 57. E. 28. " "
 42.00 To a Brook 18 links wide; course E.
 80.00 Set a post for the cor. of sec. 16, 17, 20 & 21. from which
 W. Oak 12 in diam. bears S. 41 E. 5 links dist; 8 a.
 N. 16 " " " " N. 78 W. 35 " "
This mile is broken land thin soil; mostly Oak, Timber

West On the true line between Sec. 20 & 29 T. N^o 2 R. N^o 4 W.
 27.00 To a Brook. 14 links wide, course N. 10 E.
 40.00 Set the temporary post at the cor. dist on the true line for the
 cor. of 1/4 sec. from which
 W. Oak 6 in diam. bears N. 20 W. 10 links dist; 8 a.
 Dogwood 8 " " " " S. 60 E. 26 " "
 80.00 To the post cor. of sec. 19, 20, 29 & 30.
Land broken thin Oak, Timber.

North Between Sec. 19 & 20 T. N^o 2 R. N^o 4 W.
 26.00 To a Brook. 12 links wide, course N. 80 E.
 40.00 Set a post for the cor. of 1/4 sec. from which
 W. Oak 28 links diam. bears N. 71 E. 14 links dist; 1 a.
 Hickory 10 " " " " S. 20 W. 32 " "
 48.00 —
 80.00 Set a post for the cor. of sec. 17, 18, 19 & 20. from which
 W. Oak 10 in diam. bears N. 16 W. 17 links dist; 8 a.
 W. Walnut 12 " " " " N. 44 E. 14 " "
This mile is broken land; Timber Oak 1 a.

West Between Sec. 18 & 19 T. N^o 2 R. N^o 4 W.

I N^o 2 N.R. N^o 4 W. 2nd Mer. Ind^a

This route is rich uplands; Limber Tree, Sugar,

West On the true line between Sec. 15 & 22 I N^o 2 N.R. N^o 4 W.
40.00 Set apart at the av. dist. on the true line for the cor.
of $\frac{1}{4}$ sec. from which
Beck. 16 in. dist. bears N10 E 20 links dist; & a
Sugar. 18 " " " S20 W. 18 " "
60.81 To the Bank of White River. Course S.
67.00 " " West Bk of " " empty water.
80.00 To the post cor. of Sec. 15, 16, 21, & 22

North Between Sec. 15 & 16 I N^o 2 N.R. N^o 4 W.
23.56 To White River Course S38 E.
33.00 On to the N. Bank of White River: empty water.
40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which
Beck. 20 in. dist. bears N60 E. 18 links dist; & a
Sugar. 10 " " " S20 W. 10 " "
53.00 To the Bank of White River.
67.00 On to the West Bank of White River
80.00 Set apart for the cor. of Sec. 9, 10, 15 & 16. - From which
Beck. 18 in. dist. bears S87 W. 22 links dist; & a
Sugar. 20 " " " N10 E. 30 " "
This route is good lands; Limber Tree & Sugar.

West On the true line between Sec. 16 & 21 I N^o 2 N.R. N^o 4 W.
40.00 Set apart for the cor. of $\frac{1}{4}$ sec. at the av. dist. on the
true line from which
Sugar. 18 in. dist. bears N48 W. 34 links dist; & a
Oak 12 " " " S62 E. 19 " "
80.00 To the post cor. of Sec. 16, 17, 20, & 21.
This route is good uplands; Limber Tree, Oak & Sugar.

North Between Sec. 16 & 17 I N^o 2 N.R. N^o 4 W.

D. N. 2 N. R. N. 477 2nd Mer. Sec. 1.

36.00 To N. Oak. 10 mi dist. stands in the river.

40.00 Set a post for the cor. off 1/4 sec. from which

W. Oak. 12 in dist. bears. N 41 W. 14 links dist; & a,

N. Oak. 16 " " " S 9 W. 27 " "

42.00 To a Brook. 20 links wide, comes S 80 E.

80.00 Set a post for the cor. off Sec. 8. 9. 16 & 17 from which

Logwood 6 in dist. bears. S 84 E. 5 links dist; & a,

W. Oak. 14 " " " S 46 W. 20 " "

This mile must be broken land; some bottom on the creek
Timber Beech. Oak, Sugar, & Gum.

West On the true line between Sec. 17 & 20 D. N. 2 N. R. N. 477

40.00 Set a post at the av. dist. on the true line for the cor. off
1/4 sec. from which

W. Oak. 15 in dist. bears. N 54 E. 5 links dist; & a,

Sec. 9 " " " S 8 E. 19 " "

60.00 To a Brook. 12 mi dist. comes S 45 E.

80.00 To the post cor. off Sec. 17. 18. 19 & 20.

This mile is broken land; some bottom on the creek

North Return Sec. 17 & 18 D. N. 2 N. R. N. 477.

21.00 To a Brook. 10 links wide, comes S 45 E.

40.00 Set a post for the cor. off 1/4 sec. from which

W. Oak. 16 in dist. bears. S 18 W. 11 links dist; & a,

Logwood 8 " " " North 12 " "

61.80 To a Brook. 27 in dist. bears. in the river.

80.00 Set a post for the cor. off Sec. 7. 8. 17 & 18 from which

W. Oak. 16 in dist. bears. S 78 E. 65 links dist; & a,

Logwood 7 " " " S 2 W. 62 " "

This mile is rough tall thin soil. must be Oak Timber.

West On the true line between Sec. 7 & 18 D. N. 2 N. R. N. 477.

40.00 Set a post for the cor. off 1/4 sec. from which

T. N^o 2. N. R. N^o 4 T. 2nd Mer. Sec. 2.

	<p>N. Oak 15 in. dia. trees. S 60 E. 20 miles dist; range No. 12 " " " N 21 W. 52 " "</p>
81.00	<p>Intersect the West Boundary at the first cor. of sec. 12 & 13. T. N^o 2. N. R. N^o 5 T. from which a N. Oak 10 in. dia. trees. N 81 W. 32 miles dist; range No. 12 " " " S 24 W. 13 " "</p> <p>This mile is good upland; Timber Beech Oak, Hew 107 Elm, etc.</p>
East 80.00	<p>On a Random line between Sec. 8 & 17 T. N^o 2. N. R. N^o 4 T. Intersect the N & S line at the first cor. of sec. 8, 9, 16 & 17</p>
East 80.70	<p>On a Random line between Sec. 9 & 16. T. N^o 2. N. R. N^o 4 T. Intersect the N & S line at the first cor. of sec. 9, 10, 15, & 16.</p>
East 80.70	<p>On a Random line between Sec. 10 & 15 T. N^o 2. N. R. N^o 4 T. Intersect the N & S line 43 miles N. of the first cor. of sec. 10, 11, 14 & 15.</p>
East 81.08	<p>On a Random line between Sec. 11 & 14 T. N^o 2. N. R. N^o 4 T. Intersect the N & S line at the first cor. of sec. 11, 12, 13 & 14</p>
East 80.00	<p>On a Random line between Sec. 12 & 13 T. N^o 2. N. R. N^o 4 T. Intersect the N & S line at the first cor. of sec. 12 & 13 on the East Range line.</p>
West 40.00	<p>On the true line between Sec. 12 & 13 T. N^o 2. N. R. N^o 4 T. Set a post on the true line at the av. dist; on the true line for the cor. of T. 4 Sec. from which a N. Oak 10 in. dia. trees. S 20 E 37 miles dist; range N. Oak 16 " " " S 16 W. 6 " "</p>
80.00	<p>Set the first cor. of sec. 11, 12, 13 & 14. This mile is broken land; Timber mostly Oak</p>

J. N^o 2. N.R. N^o 4. W. 2nd Mer. Ind^aNorth Between Sec. 11 & 12 J. N^o 2. N.R. N^o 4 W.

16.00 To a Brook. 10 miles wide, Comes S 50 W.

20.17 To a N Oak. 16 in dia. It stands in the line.

40.00 Set apart for the cor. of $\frac{1}{4}$ sec from which a
Sugar. 12 in dia. trees. N 19 E. 3 miles dist; say
Beck. 7 " " " S 19 W. 20 " "

80.00 Set apart for the cor. of Sec. 1. 2. 11. 12 from which a

Beck. 10 in dia. trees. N 44 E. 20 miles dist; say

Lo 9 " " " N 62 W. 31 " "

This mile mostly broken land; East 20 ch. bottom
Timber 1 Beck. Oak, & some Sugar.West On the line between Sec. 11 & 14 J. N^o 2. N.R. N^o 4 W.

20.00 To a Brook. 20 miles wide; Comes S 45 W.

40.00 Set apart at the co. dist in the true line for the cor. of
 $\frac{1}{4}$ sec from which a

Height 10 in dia. trees. S 66 E. 18 miles dist; say

Logwood 7 " " " N 25 W. 6 " "

Dec. 21st 1804

80.00 To the first cor. of Sec. 10. 11. 14 & 15.

This mile good upland; Timber Beck & Sugar 1-

North Between Sec. 10 & 11 J. N^o 2. N.R. N^o 4 W.

27.00 To a N Oak. 20 in dia. stands in the line.

40.00 Set apart for the cor. of $\frac{1}{4}$ sec from which a

Oak 16 in dia. trees. N 84 W. 4 miles dist; say

Height 15 " " " S 52 E. 9 " "

66.00 To a Sugar. 10 in dia. stands in the line.

80.00 Set apart for the cor. of Sec. 2. 3. 10. & 11 from which a

N Oak. 16 in dia. trees N 10 W. 19 miles dist; say

Logwood 6 " " " S 31 W. 12 " "

This mile mostly broken land; Timber Oak, Ash,
Logwood &c.

S. N. 2. N. R. N. 4. W. 2nd Mer. Ind. a.

West On the true line between Sec. 10 & 15 S. N. 2. N. R. N. 4 W.
 40.00 Set a post at the av. dist on the true line for the cor. of
 $\frac{1}{4}$ sec. from which
 Bearer 7 mi. dist. bears S 50 E. 13 links dist; 1st
 L. 8 " " " S 66 W. 13 " "
 66.59 To White River. Corner S 35 W. drift water
 73.46 " the West Bank of White River.
 80.00 To the post cor. of Sec. 9. 10. 15 & 16.
 This mile muddy bottom lands; Timber Bush &c

North Between Sec. 9 & 10 S. N. 2. N. R. N. 4 W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
 Bearer 17 mi. dist. bears S 16 E. 43 links dist; 1st
 E. 18 " " " N 4 E. 8 " "
 48.00 To White R. Corner S 78 E. drift water.
 54.50 Onto the N. Bank of White River.
 80.00 Set a post for the cor. of Sec. 3. 4. 9 & 10 from which
 Bearer 9 mi. dist. bears S 17 E. 24 links dist; 1st
 L. 16 " " " N 17 W. 28 " "
 This mile is rich bottom lands. Timber Bush.

West On the true line between Sec. 19 & 16. S. N. 2. N. R. N. 4 W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. at the av. dist on the
 true line from which
 Bearer 17 mi. dist. bears N 66 E. 29 links dist; 1st
 L. 7 " " " S 57 W. 28 " "
 80.00 To the post cor. of Sec. 8. 9. 16 & 17.
 This mile mostly good uplands; Timber Bush & Oak

North Between Sec. 8 & 9, S. N. 2. N. R. N. 4 W.
 29.00 To N. River Corner N 31 E. drift water.
 37.00 Onto the North Bank of N. River.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which

287

I N^o 2. N.R. N^o 4 N. 2nd Mer. Sec. a

Hike? 20 in dia. beam. S14 N. 35 units dish; 1st a,
 N Oct 12 " " " N6 N 10 " "
 80.00 Set a post for the cor. off Sec. 4.5 8 & 9 from which
 N Oct. 20 in dia. beam. S43 N. 11 units dish; 1st a,
 Buck. 20 " " " N58 N. 17 " "
 This mile is good bottom land; Timber & Buck. Sugar,
 Corn. &c.

West Another line between Sec. 8 & 17 of I N^o 2. N.R. N^o 4 N.
 40.00 Set a post at the av. dish on the true line for the cor.
 of 74 Sec. from which
 Buckeye 12 in dia. beam. South 3 units dish; 1st a,
 Ho. 11 " " " N31 N. 23 " "
 80.00 To the first cor. off Sec. 7, 8, 17, & 18.
 This mile mostly broken land; Timber & Buck. Sugar,
 Corn. &c.

North Between Sec. 7 & 8. I N^o 2. N.R. N^o 4 N.
 40.00 Set a post for the cor. off 74 Sec. from which
 Buck. 10 in dia. beam. S18 E. 10 units dish; 1st a,
 Sugar. 10 " " " N10 N. 26 " "
 80.00 Set a post for the cor. Sec. 5, 6, 7 & 8 in the River from
 which a Buck. 20 in dia. (on the West of Sec. 7, beam
 West 361 units dish; 1st a
 This mile is rich bottom land; Timber & Buck. Sugar,
 Corn. &c.

West Between Sec. 6 & 7. I N^o 2. N.R. N^o 4 N.
 360 From the post in the River onto the West Bank.
 40.00 Set a post for the cor. off 74 Sec. from which
 Buck. 16 in dia. beam. N60 N. 12 units dish; 1st a,
 Ho. 8 " " " N17 E. 15 " "
 75.50 To a Brook. 20 units wide, clear. S20 E.
 80.00 Enter at the West of Sec. 7 at the first cor. off Sec.

T. N^o 2. N.R. N^o 4 T. N^o 2nd Mer. Ind^a

1st 12. T. N^o 2. N.R. N^o 4 T. From which a
 W. Oak. 13 in diam. 40 ft. N 26 E. 20 links dist; 1st
 Beech 12 " " " S 8 E. 31 " "
 This mile rich land Timber Beech & Sugar.

East On a Random line between Sec. 5 & 8 T. N^o 2. N.R. N^o 4 T.
 80.00 Intersect the N & S line at the post cor. of sec. 4, 5, 8 & 9.

East On a Random line between Sec. 4 & 9 T. N^o 2. N.R. N^o 4 T.
 80.00 Intersect the N & S line at the post cor. of sec. 3, 4, 9 & 10.

East On a Random line between Sec. 3 & 10 T. N^o 2. N.R. N^o 4 T.
 80.00 Intersect the N & S line 20 links N. of the post cor. of
 sec. 2, 3, 10 & 11.

East On a Random line between Sec. 2 & 11 T. N^o 2. N.R. N^o 4 T.
 80.00 Intersect the N & S line at the post cor. of sec. 1, 2, 11 & 12.

East On a Random line between Sec. 1 & 12 T. N^o 2. N.R. N^o 4 T.
 80.00 Intersect the N & S line at the post cor. of sec. 1 & 12. On the
 East Range line.

West On a Random line On the South Boundary of sec. 36,
 T. N^o 3. N.R. N^o 4 T. Dec. 23. 1804
 80.00 Set a post for the cor. of sec. 35 & 36.
 This mile is rich upland; Timber Beech & Sugar.

West On a Random line On the South Boundary of sec. 35
 T. N^o 3. N.R. N^o 4 T.
 80.00 Set a post for the cor. of sec. 34 & 35.
 This mile rich hilly land; Timber Beech & Sugar.

West On the South Boundary of sec. 34 T. N^o 3. N.R. N^o 4 T.

L N° 2 N R N° 4 W. 2nd Mer. Sec.

	<i>Qua Random line.</i>
80.00	Set a post for the cor. off sec. 33 & 34. This mile is good upland; Timber & Beech. Oak & Gum l.
West	On the South Boundary of sec. 33. Qua Random line. <i>L N° 3 N R N° 4 W.</i>
80.00	Set a post for the cor. off sec. 32 & 33. This mile is not level land. Timber mostly Beech,
West	Qua Random line On the South Boundary of sec. 32.
80.00	Set a post for the cor. off sec. 31 & 32. This mile is not level land; Timber Beech, Sugar l.
West	On the South Boundary of sec. 31. <i>L N° 3 N R N° 4 W.</i>
6.46	To the Bank of White River. Corner of 9 th .
13.00	Cuts the West Bank of White River. Sugar maple.
81.20	Struck the post cor. off sec. 2 & 3 <i>N. R. N° 4 & 5 W.</i> from which. W Oak. 10 in dia. trees. S E 10 miles due; and a Co. 16" " " N 10 W 26" " This mile mostly not level. Timber Beech & Oak.
West	On the true line between sec. 1 & 2 <i>L N° 2 N R N° 4 W.</i>
40.00	Set a post at the true dist on the true line for the cor. off $\frac{1}{4}$ sec. from which Sugar. 16 in dia. trees. S E. 28 miles due; and Logwood 8" " " N 10 W 30 " "
80.00	Set the post cor. off sec. 1, 2, 11, & 12. This mile mostly broken land; Timber Oak, Ash, Sugar l.
North	Between Sec. 1 & 2 <i>L N° 2 N R N° 4 W.</i>
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which

S. N. 2. N. R. N. 4 W. 2nd Mer. Ind.

Logrodo 6 in dist. bears. N 14 E. 3 1/2 miles dist; 1 1/2
 W. Oak. 16 " " S 37 N. 18 " "
 80.00 Intercutted the N. B. corner at the post cor. of sec.
 35 136 S. N. 3. N. R. N. 4 W. from which
 W. Oak. 16 in dist. bears. S 60 E. 18 miles dist; 1 1/2
 Beech. 12 " " S 47 N. 34 " "
 This mile is good hill lands; mostly W. Oak, Linde.

West On the true line between Sec. 2 & 11 S. N. 2. N. R. N. 4 W.
 40.00 Set a post at the av. dist. on the true line. For the cor.
 of 1/4 sec. from which
 Beech. 16 in. dist. bears. S 63 N. 10 miles dist; 1 1/2
 Co. 9 " " N 57 E. 23 " "
 80.00 To the post cor. of sec. 2, 3, 10 & 11.
 This mile is rough, hilly lands; Linde Oak, with thins.

North Return Sec. 2 & 3 S. N. 2. N. R. N. 4 W.
 40.00 Set a post for the cor. off sec. from which
 Beech. 10 in dist. bears. N 68 W. 8 miles dist; 1 1/2
 Co. 20 " " N 88 E. 22 " "
 66.00 From W. Oak. 16 in dist. bears. on the line.
 68.00 " " " 10 " " " " "
 80.00 Intercutted the N. B. corner at the post cor. of sec. 34 & 35.
 S. N. 3. N. R. N. 4 W. from which post a
 Beech. 20 in dist. bears. S 66 E. 54 miles dist; 1 1/2
 W. Oak. 17 " " N 36 W. 21 " "
 This mile mostly good land; Linde Beech. Sugar,
 Oak Gum. Logrodo etc. Sec. 24 1804.

West On the true line between Sec. 3 & 10 S. N. 2. N. R. N. 4 W.
 40.00 Set a post at the av. dist. on the true line for the cor. of
 1/4 sec. from which
 Beech. 7 in dist. bears. S 72 E. 14 miles dist; 1 1/2

	<p>Sugar 8 in air: beam. N 60 W. 22 miles west;</p> <p>67.00 To a Brook. 12 hrs. ride. License. S 20 W.</p> <p>80.00 To the post for the cor. of row. 3. 4. 9 & 10.</p> <p>This mile is broken land; Timber Oak, &c.</p>
North	<p>Return Sub 314 I. N^o 2. N. R. N^o 4. W.</p> <p>18.00 To a Brook. 10 in air: stands in the river.</p> <p>40.00 Set a post for the cor. of 1/4 sec. from which</p> <p>Brook. 16 in air: beam. S 29 E 19 miles west; 1/2</p> <p>W. Oak. 20 " " North 27 " "</p> <p>80.00 Enter at the N. Boundary 10 miles West of the post cor.</p> <p>of row. 33 & 34 I. N^o 3. N. R. N^o 4. W. can do set a post</p> <p>for the cor. of row. 3 & 4 from which</p> <p>Brook. 10 in air: beam. N 28 W. 16 miles west; 1/2</p> <p>Lo. 12 " " " S 57 E. 27 " "</p> <p>This mile is good upland; Timber Brook, &c.</p>
West	<p>On the true line between row. 4 & 9. I. N^o 2. N. R. N^o 4. W.</p> <p>40.00 Set a post for the cor. of 1/4 sec. from which</p> <p>Brook. 12 in air: beam. S 78 E. 41 miles west; 1/2</p> <p>Lo. 9 " " " N 61 W. 28 " "</p> <p>80.00 To the post cor. of row. 4, 5, 8 & 9.</p> <p>This mile is rich level land; Timber Brook, &c.</p>
North	<p>Return Sub. 4 & 5. I. N^o 2. N. R. N^o 4. W.</p> <p>57.5 To a N. Oak. 12 in air: stands in the river.</p> <p>40.00 Set a post for the cor. of 1/4 sec. from which</p> <p>Brook. 16 in air: beam. S 4 E. 12 miles west; and 2</p> <p>Lo. 8 " " " N 18 E. 30 " "</p> <p>81.00 Enter at the N. Boundary at the post cor. of row. 32 & 33</p> <p>I. N^o 3. N. R. N^o 4. W. from which</p> <p>W. Oak. 20 in air: beam. N 84 E. 13 miles west; 1/2</p> <p>Brook. 12 " " " N 46 W. 41 " "</p>

T. N. 2 N. R. N. 4 W. 2nd Mer. Sud.

This mile rich bottom lands; Sumter Beach.

West On the true line between Sec. 5 & 8 T. N. 2 N. R. N. 4 W.
40.00 Set apart at the cor. dist on the true line for the cor. of
1/4 sec. from which

Beach. 10 in dist. bears. N 20 W. 31 links dist; r₂
Sugar. 13 " " S 30 E. 21 " "

80.00 Strike the post set in White River cor. of sec. 5, 6, 7 &
8. This mile is rich bottom lands; Sumter Beach,
ends Sugar.

North Between Sec. 5 & 6. T. N. 2 N. R. N. 4 W.

5.50 On the N. Banks of the River.

40.00 Set apart for the cor. of 1/4 sec. from which
Beach. 12 in dist. bears. N 30 E. 60 links dist; r₂
Lo. 10 " " " S 18 W. 30 " "

80.30 Intersect the N. Boundary 20 links West of the post cor.
of sec. 31 & 32. T. N. 3 N. R. N. 4 W. from which
Beach. 10 in dist. bears. S 8 E. 10 links dist; r₂
Lo. 12 " " " N 18 W. 30 " "
This mile broken lands; thin soil. Sumter Beach.

East On the true line On the South Boundary of sec. 31. T. N. 3.
N. R. N. 4 W.

40.00 Set the post on the true line for the cor. of 1/4 sec. from which
Beach. 13 in dist. bears. N 20 W. 30 links dist; r₂
Lo. 14 " " " S 80 E. 40 " "

East On the true line On the S. Boundary of sec. 32. T. N. 2.
N. R. N. 4 W.

40.00 Set apart on the true line for the cor. of 1/4 sec. from which
Beach. 12 in dist. bears. S 80 E. 18 links dist; r₂
Lo. 8 " " " N 60 W. 20 " "

S. N. 2. N. R. N. 4 N. 2nd Mer. Sud.

293

East	On the line On the South Boundary of Sec. 33 S. N. 3. N. R. N. 4 N.
40.00	Set a post on the line for the cor. of $\frac{1}{4}$ Sec. from which a Buck. 8 in dist. bears N 10 E. 10 links dist; 1 st W. Oak. 12 " " S 18 N. 30 " "
East	On the line On the S. Boundary of Sec. 34 S. N. 3. N. R. N. 4 N. 2nd Mer.
40.00	Set a post on the line for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak. 8 in dist. bears N 30 E. 37 links dist; 1 st H. 10 " " " S 60 N. 40 " "
East	On the line On the South Boundary of Sec. 35 S. N. 3. N. R. N. 4 N.
40.00	Set a post on the line for the cor. of $\frac{1}{4}$ Sec. from which a Sugar. 12 in dist. bears N 80 E. 18 links dist; 1 st Buck. 8 " " " S 60 N. 29 " "
East	On the line On the S. Boundary of Sec. 36 S. N. 3. N. R. N. 4 N.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak. 10 in dist. bears N 80 E. 18 links dist; 1 st H. 9 " " " S 66 N. 30 " "

East Boundary

- North On the East Boundary of sec. 36 T. 2 N. R. 4 W.
 1.57 To a Beech 14 in. dia. stands in the line.
 25.34 " " W. Oak 10 " " " "
 40.00 Set a $\frac{1}{4}$ dip post from which a
 Beech 14 in. dia. bears S 82 W. 22 links dist; & a
 Sugar 16 " " " S 83 E. 22 " "
 47.34 To a W. Oak 14 in. dia. in the line.
 62.54 " " Gum 16 " " " "
 67.93 " " Beech 10 " " " "
 75.54 " " W. Oak 20 " " " "
 80.00 Set a post for the cor. of sec. 25 & 36 from which a
 Beech 5 in. dia. bears N 27 W. 13 links dist; & a
 Loc 7 " " " S 48 E. 10 " "
 High rate of land, lies well timbered. Oak, Sugar,
 Beech, Ash, &c.

-
- North On the East Boundary of sec. 25 T. 2 N. R. 4 W.
 22.00 Good hill lands; to bottom
 25.72 To a Beech 10 in. dia. stands in the line.
 30.00 To a Brook 18 links wide; Course West
 38.50 " " Poplar 26 in. dia. in the line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 9 in. dia. bears N 23 W. 29 links dist; & a
 Loc 13 " " " S 14 E. 23 " "
 55.00 To a Creek 200 links wide; Course S. W.
 Lands low Beech bottom
 63.50 To a W. Oak 16 in. dia. in line
 80.00 Set a post for the cor. of sec. 24 & 25 from which a
 Sugar 10 in. dia. bears N 33 W. 10 links dist; & a
 Hickory 12 " " " S 16 E. 22 " "
 Well lands thin soil; timbered Oak, Hickory,
 Beech &c.

T. N^o 2. N.R. N^o 4 N. 2nd Mer. Indⁿ

North On the East Boundary of Sec. 24 T. 2 N. R. 4 W.

5.50 To a Beech 20 lbs. wide. Corner S. E. C.

11.00 " " Loc. " " " " S. N.

20.25 To a Beech 16 in. dia. Stands in the line.

28.00 To the above named Creek Corner S. 20 E.

37.95 " an Elm 16 in. dia. Stands in the line.

40.00 Set a 1/4 sec. post from which a

Beech 24 in. dia. bears S. 47 E. 13 links dist; S.

Loc. 10 " " " " N. 47 W. 33 " "

52.30 To a W Oak 16 in. dia. in the line.

55.00 Followed off creek bottom

60.76 To a B. Oak 26 in. dia. Stands in line.

80.00 Set a post for the corner of Sec. 13 & 24 from which a

W. Oak 14 in. dia. bears N. 34 W. 27 links dist; S.

Yew 26 " " " " S. 66 E. 14 " "

Poor White Oak Hill lands; much briars.

North On the East Boundary of Sec. 13. T. 2 N. R. 4 W.

15.00 To a Creek 7 links wide, Corner S. N.

19.89 " " W. Oak 14 in. dia. Stands in line.

40.00 Set a 1/4 sec. post from which a

W. Oak 17 in. dia. bears N. 82 W. 15 links dist; S.

B. Oak 10 " " " " S. 53 E. 8 " "

53.14 To a W Oak 36 in. dia. Stands in the line.

80.00 Set a post for the cor. of Sec. 12 & 13 from which a

Hogwood 6 in. dia. bears N. 6 W. 18 links dist; S.

W Oak 13 " " " " S. 73 W. 21 " "

This mile high hill lands; Soil of middling quality
Timber Oak, Hickory, Beech & Hog wood;

North On the East Boundary of Sec. 12. T. 2 N. R. 4 W.

10.35 To a Poplar 30 in. dia. Stands in the line.

40.00 Set a 1/4 sec. post from which a

T. N. D. N. R. No 4 W. 2nd Run Ind.

Sugar 13 in. dia: bears South 36 links due; &
 Do. 10 " " N 38 E 17 " "
 40.75 To a Brook 10 links wide, Corner W.
 65.08 To a Sugar 18 in. dia: stands in the line.
 78.22 " " Gum. 17 " " " " "
 80.00 Set a post for the cor. off No. 1 & 2 from which a
 Black 24 in. dia: bears N 57 W 21 links due; &
 Do. 7 " " " 65 E 9 " "
 Back up land to middling soil

North On the East Boundary of Sec. 1 T. 2 N. R. 4 W
 14.22 To a Black 14 in. dia: stands in the line
 16.50 " " Brook 20 links wide, Corner N. W.
 40.00 Set a 7/8 cu. post from which a
 Maple 12 in. dia: bears N 12 W 19 links due; &
 W. Oak 16 " " " N 28 W 43 " "
 48.15 To a Black Oak 22 in. dia: in the line.
 71.67 " " W. Oak. 16 in " " " "
 80.00 Set a post for the cor. of T. 2 N. 2 & 3 N. R. 3 & 4 W.
 from which a W. Oak 30 in. dia: bears S 60 E 27 links due; &
 and a Do. 12 " " " N 67 W 14 " "
 Sand hilly; Timber Oak 1 Buck. &

WEST Boundary Nov. 2nd 1804
 North On the East Boundary of Sec. 36. T. 2 N. R. 5 W
 2.44 To the Bed of a Run 2 links wide; Corner E.
 12.75 " a W Oak 30 in. dia: stands in the line
 35.41 " " Run 15 links wide; Corner E.
 40.00 Set a 7/8 cu. post from which a
 Pin. Oak 18 in. dia: bears N 12 W 43 links due; &
 Do. 15 " " " S 22 E 18 " "
 63.77 To the Bed of a Run 2 links wide, Corner E.
 80.00 Set a post for the cor. off Sec. 25 & 36 from which a

297

T. N. 2 S. R. N. 4 W. 2nd Twp Ind.

Hickory 10 in. diam. bears N 42 E. 19 links dist; & by
 W. Oak 20 " " S 74 N 65 " "
 Sande broken; Limbu Oak & Hickory &

North On the East Boundary of sw. 25 T. 2 N. R. 5 W.
 16.59 To the Bed of a Run 2 links mid, Course E.
 27.50 " " " " " 2 " " " E.
 31.50 To a B Oak 18 in. diam. in line.
 40.00 Set a 74 su. post from which a
 B. Oak 20 in. diam. bears S 68 E 13 links dist; & by
 Do. 20 " " " West 54 " "
 54.07 To a Hickory 12 in. diam. stands in the line.
 80.00 Set a post for the cor of sw. 24 & 25 from which a
 Aspen 6 in. diam. bears N 39 E. 25 lks dist; & a
 Elm 6 " " " West 50 " "
 This mile is cut; Limbu Oak, Hickory, and Walnut

North On the East Boundary of sw. 24 T. 2 N. R. 5 W.
 6.53 To a Hickory 12 in. diam. in line.
 40.00 Set a 74 su. post from which a
 W. Oak. 12 in. diam. bears N 25 W. 55 links dist; & by
 Do. 12 " " " S 6 E. 21 " "
 46.42 To the Bed of a Run 1 lks mid, Course West
 54.50 To a Run 1 lks mid, Course E.
 55.30 To a Hickory 18 in. diam. in line.
 71.75 " " Run. 2 lks mid, Course E.
 80.00 Set a post for the cor of sw. 13 & 24 from which a
 B. Oak 20 in. diam. bears S 71 W. 58 links dist; & by
 Do. 8 " " " N 65 E 2 " "
 Sande Broken in this mile, Limbu Oak, Hickory &
 Some rock near the last mile post.

North On the East Boundary of sw. 13 T. 2 N. R. 5 W.

T. N. 2. N.R. N. 4 W. 2nd Mer. Ind.

- 22.10 To the Bed of a Run 2 lks wide, Course E.
 39.00 " a Run. 20 lks wide, Course E.
 40.00 Set a 7th su post from which a
 Beech 7 in. dia: bears N 66 E. 32 links due; & a
 Gum 8 " " " N 46 W 38 " "
 76.00 To the Bed of a Run 1 lk. wide, Course W.
 80.00 Set a post for the cor. of Sec. 12 & 13 from which a
 White Oak 9 in. dia: bears S 33 W. 13 links due; & a
 Do 10 " " " S 1 E. 70 " "
 Land broken, Timber Oak & Hickory.

- North On the East Boundary of Sec. 12. T. 2 N.R. 5 W
 40.00 Set a 7th su post from which a
 W. Walnut 10 in dia: bears N 34 E. 18 links due; & a
 B. Oak 14 " " " S 1 E. 35 " " bears
 80.00 Set a post for the cor. of Sec. 1 & 12 from which a
 Sugar. 11 in. dia: bears N 39 W. 30 links due; & a
 Beech, 10 " " " S 17 E. 32 " "
 This half mile bushy barrens; few growing trees

- North On the East Boundary of Sec. 1 T. 2 N.R. 5 W
 4.00 To a Run 15 lks wide, Course E.
 16.44 To a W Oak 11 in dia: stands in the run.
 28.00 " the Bed of a Run 2 lks wide,
 35.00 " a B. Oak 36 in. dia: stands in the run.
 40.00 Set a 7th su post from which an
 Ash 12 in. dia: bears S 32 W. 3 links due; & a
 W. Oak — " " " N 35 E. 10 " "
 55.33 To a Hickory 13 in dia: stands in the run.
 80.00 Set a post for the cor of Towns 2 & 3 N.R. 4 & 5 W.
 from which a Sugar 15 in dia: bears S 24 W. 40 lks due;
 and a Do 12 " " " N 27 E. 41 " "
 Land broken; Timber Oak, Beech, Walnut, Hickory,

T. N. 2. N. R. N. 4 W. 2nd Mer. Ind. a

299

Sugar, Ash, Poplar, &c

Meanders of the Eastern Branch of White River. Commenced at the fork on line between Sec. 6 & 31 T. 20 S. N. R. 4 W. thence down stream on Right bank (supposed to be the Rt. Bank)

S4 E.	8.50		S77 E.	13.00	To North line
S6 W.	6.00		S84 E.	5.50	
S4 E.	7.00		S45 E.	9.50	To the falls
S16 E.	12.50	Corn thicket	S82 E.	3.50	
S27 E.	12.50	To North line	S67 E.	3.00	
S27 E.	9.00		S59 E.	12.00	
S17 E.	11.00		S24 E.	3.00	
S12 E.	7.50		S17 E.	4.50	
S18 W.	12.00	To West line	S26 W.	2.00	
S18 W.	8.00		N67 W.	3.75	
S25 W.	10.00	To stream 75.00 E. & E.	S88 W.	5.00	
S16 W.	10.50		S78 W.	5.50	
S16 E.	7.00		S48 W.	7.50	
S51 E.	6.00		S33 W.	19.50	To a West line
S41 E.	17.00	To timber	S33 W.	2.37	
S49 E.	8.00		S26 W.	11.75	To a North line.
S59 E.	6.00		S18 W.	7.80	
S54 E.	6.00		S6 W.	15.00	
S79 E.	21.50		S7 E.	7.50	
N83 E.	16.50	To North line	S21 E.	7.00	To Brook 60 lbs. to N.E.
N74 E.	6.50		S29 E.	4.50	
N61 E.	15.00		S35 E.	8.00	To a North line
N38 E.	11.00		S34 E.	11.00	
N56 E.	15.00		S3 W.	6.00	
N66 E.	9.50		S3 E.	7.50	
N78 E.	10.50		S11 W.	14.90	
N83 E.	21.00		S5 E.	24.00	
N89 E.	4.50		S16 W.	4.00	

T. N. 2. N. R. N. 47. 2nd Mer. Ind.

S10 W	35.00	To a West line	S3 E.	6.50	
S10 W	3.00	" " " "	S39 E.	4.50	To Run 25ths Co. E.
S18 W	6.90	To a Run 15ths Co. E.	N. 86 E.	12.00	
S21 W	6.50		S72 E.	10.50	To North line.
S30 W	37.00		S49 E.	12.84	To Run 20ths Co. S. E.
S26 W	13.00	To Run. Course to	S45 E.	16.50	
S16 W	11.00		S40 E.	26.00	To Run 15ths Co. S. E.
S6 W.	3.50		S46 E.	33.00	To T. line. bet. T. 1 & 2 N. R. 47.

Surveyed by
Nathan Bent. L.S.

I do not think it is possible to tell where the Alexander intersect the line of subdivisions without replatting the whole Township. Amesbury

I certify that the foregoing manuscript of the field notes of Township N. 2. North of Range N. 4 West of the 2nd Principal Mer. Indiana, has been compared with the Original notes in this Office and found to be correct.
Surveyor General's Office,
Cincinnati April 5. 1841.

E. S. Harris
Sur. Genl.

+